

To: Diamond, Jane[Diamond.Jane@epa.gov]; Kemmerer, John[KEMMERER.JOHN@EPA.GOV]; Johnson, Kathleen[Johnson.Kathleen@epa.gov]
Cc: Vendlinski, Tim[vendlinski.tim@epa.gov]; Skophammer, Stephanie[SKOPHAMMER.STEPHANIE@EPA.GOV]; Goforth, Kathleen[Goforth.Kathleen@epa.gov]; Hagler, Tom[Hagler.Tom@epa.gov]
From: Foresman, Erin
Sent: Thur 3/12/2015 4:15:32 PM
Subject: Contra Costa Water District GM chat with Jared
[CCWD Comments on BDCP 7-25-14.pdf](#)

Hi Jane, John, and Kathleen,

I learned that Contra Costa Water District General Manager [Jerry Brown](#) is planning to request a meeting with Jared to discuss BDCP and changes to water quality standards. CCWD identified some of the same issues we identified in our letter on BDCP because their urban water supply is impacted by salinity intrusion. I attached CCWD's BDCP comment letter. The "Overview of Comments" (pages 4-10) summarizes their issues broadly. I anticipate the request will come fairly soon and wanted to give you a heads up. This is a good chance for Jared to hear from a Water District that relies on CWA protection of urban water supply.

Erin Foresman

US EPA | Environmental Scientist | SF Bay Delta

C/O NMFS 650 Capitol Mall| Sacramento, CA 95814

916-930-3722|www.epa.gov/sfbaydelta

Schedule: M 7:30a - 4:00p; T - F 7:30a - 2:00p